


tube caps



Designed to protect the ends of threaded and non-threaded tubing, rods or packaging tubes with a friction-fit straight-wall design.

Specifications

- Material: Low-Density Polyethylene
- Colour: Orange
- Will fit diameters matching inside (A) dimension
- Applicable Spec: **MIL-C-5501/9**



Also available are Tube Caps in longer and shorter lengths, please see our on-line catalogue @ www.capsnplugs.com

Part Number	To Fit Diameter A		Dimensions B		Standard Package	
	in	mm	in	mm	Pieces	Lbs.
210-A	3/32	2.39	.59	14.99	15000	12
211-B	1/8	3.18	.62	15.75	30000	11
211-L	1/8	3.18	.75	19.05	25000	10
212-C	5/32	3.96	.59	14.99	25000	11
212-S	11/64	4.37	.62	15.75	10000	5
213-D	3/16	4.78	.62	15.75	15000	8
213-R	13/64	5.16	.62	15.75	15000	8
214-E	1/4	6.35	.88	22.35	9000	8
274-G	17/64	6.76	.75	19.05	10000	10
215-F	5/16	7.92	.88	22.35	9000	8
216-H	3/8	9.53	.88	22.35	10000	14
217	7/16	11.13	.88	22.35	7500	11
218	1/2	12.70	.88	22.35	7000	13
219	9/16	14.27	.88	22.35	5000	10
219-S	9/16	14.27	.62	15.75	7500	13
220	5/8	15.88	.88	22.35	5000	12
981	5/8	15.88	.88	22.35	5000	16
220-H	5/8	15.88	.94	23.88	5000	13
221	11/16	17.48	.88	22.35	3500	9
221-S	11/16	17.48	.75	19.05	5000	13
222	3/4	19.05	.88	22.35	3500	11
222-H	3/4	19.05	.94	23.88	2500	9
835	13/16	20.65	.69	17.53	3500	10
223	13/16	20.65	.88	22.35	2500	8
201-T	7/8	22.23	.62	15.75	2500	16
201-S	7/8	22.23	.62	15.75	3500	9
201	7/8	22.23	.88	22.35	2500	8
748	29/32	23.00	.75	19.05	2500	10
1202	15/16	23.83	.88	22.35	2500	10
138	1	25.40	.75	19.05	2500	10
138-2	1	25.40	1.00	25.40	1500	7
448	1-1/16	27.00	1.00	25.40	2000	10
224	1-1/8	28.58	.88	22.35	1500	7
289	1-1/4	31.75	1.00	25.40	1500	10
1783	1-5/16	33.35	1.00	25.40	1000	7
760	1-3/8	34.93	.62	15.75	1000	10
225	1-3/8	35.00	1.00	25.40	1000	8
290	1-1/2	38.10	1.00	25.40	1000	9
291	1-5/8	41.28	1.00	25.40	1000	10
291-2	1-23/32	43.65	1.00	25.40	500	6
1008	1-3/4	44.45	.88	22.35	500	11
1008-1	1-3/4	44.45	1.00	25.40	500	6
1699	1-7/8	47.63	1.00	25.40	500	6
226	2	50.80	1.00	25.40	1000	13
327	2-1/8	53.98	1.00	25.40	500	7
230	2-1/4	57.15	.88	22.35	500	9
1365	2-1/4	57.15	1.00	25.40	300	9
227	2-1/2	63.50	.88	22.35	500	8
372	2-39/64	66.27	1.00	25.40	1000	20
374	2-5/8	66.68	1.00	25.40	1000	25
232	2-3/4	69.85	1.00	25.40	250	5
387	3	76.20	1.00	25.40	450	12
373	3-1/8	79.38	1.38	35.05	300	10
1528	3-1/4	82.55	1.00	25.40	800	26
1563	3-1/2	88.90	1.00	25.40	700	26
1521	3-1/2	88.90	1.00	25.40	600	22
2215	3-17/32	89.69	2.00	50.80	300	20
1540	4	101.60	1.13	28.70	500	29
377	4-1/4	107.95	1.50	38.10	400	20
1400	4-13/16	122.25	.64	16.26	500	34
1363	4-7/8	123.83	.92	23.37	350	30
324-3	8	203.20	2.30	58.42	40	18